

Be Hard

PRODUCT MANUAL

This product is intended for adult use as a non-medical pleasure device only. Not for medical use. No medical claims are warranted or implied by the use of this product.

- 3 pumping modes
- 4 suction modes
- Air-release button
- Ruler markings
- Made from ABS plastic and silicone










Mode Max	Pressure	Time to Max	Notes
1	35	15 sec	Pressure holds at 35, no release
2	45	20 sec	Pressure holds at 45, no release
3	55	30 sec	Pressure holds at 55, no release
4	60	35 sec	Pressure continues at maximum until stopped

CHARGING

- For maximum pleasure, charge before every use.
- Connect the included USB cable and insert the USB end into the wall adaptor or computer USB port (Computer must be turned on).
- The soft glow indicates that charging is in progress.
- A full charge takes up to 2 hours for 50 minutes of play.
- Do not use the device while it charges.

HOW TO USE

- Screw the base onto the cylinder tightly.
- Apply water-based lubricant to yourself.
- Insert a flaccid or semi-flaccid penis into the donut's opening.
- Hold the  button to turn the pump on/off.
- Press the  button quickly to cycle through the 3 pumping modes.
- As you cycle through the modes, the air pressure will be fully released and then regained as the next mode begins.
- Press the  button quickly to cycle through the 4 sucking modes.
- As you cycle through the modes, the air pressure will increase without being fully released.
- For the 4th mode, the air pressure will be fully released first, then restarted at maximum suction.

- Start pumping slowly - you should feel a gentle tugging sensation.
- Press the  buttons to enter pause mode.
- Once the desired erection is achieved, hold any of the , the  or the  button to release pressure.
- If pain or discomfort occurs, immediately release all pressure and discontinue use.

CLEANING AND CARE

- Unscrew the base from the cylinder.
- Remove the donut for thorough cleaning.
- Use a toy cleaner/mild soap with water to clean the cylinder and the donut before and after each use.
- Pat with a towel and allow it to air-dry completely.
- Do not get water inside the motorized unit as it is not waterproof.
- Use with a water-based lube only, no silicone lubricants.
- Dust the donut lightly with baby powder or cornstarch to make it last. Store away from heat and sunlight.

PRECAUTIONS

- Apply only the minimum amount of vacuum pressure necessary to achieve an erection; overdoing it may bruise or injure the penis.



WARNING

- Stop using the vacuum pump if pain occurs.
- Do not use under the influence of alcohol or drugs, since it may impair the user's judgment and increase the risk of injury to the penis.
- Do not use if you have sickle cell disease, have a history of prolonged erections, or you are taking large quantities of aspirin or other blood thinners, as these conditions increase the risk of bruising and hematoma.
- Use of the device may bruise or rupture the blood vessels within the penis or scrotum, resulting in petechiae, hemorrhage, or the formation of a hematoma.
- Use of the device may aggravate already existing conditions such as Peyronie's disease (the formation of hardened tissue in the penis that causes pain, curvature, and distortion, usually during erection); priapism (persistent, usually painful erection of the penis as a consequence of disease and not related to sexual arousal); and urethral strictures (urethral stricture is an area of hardened tissue which narrows the urethra, sometimes making it difficult to urinate).
- Misuse of the vacuum pump could injure the penis.
- If you have symptoms of erectile dysfunction, i.e., inability to achieve an erection that is sufficient for sexual intercourse, consult your physician prior to using this device to avoid a potentially harmful delay in diagnosing any of the most common causes of this condition, such as diabetes, multiple sclerosis, cirrhosis of the liver, chronic renal failure, or alcoholism.
- Do not use the device if you have decreased sensation of pain in the area of the penis.
- Do not use the device if you have decreased hand strength because this may make removing the device difficult.

MANAGING COMMON PROBLEMS WITH A VACUUM DEVICE

Problem	Likely cause	Remedy	Comments
No erection	No vacuum because of air leak caused by poor seal	Use more lubricant; apply firm pressure to the body; trim pubic hair; check the device for air leaks	Problem is most often associated with inexperience; it resolves as you become more adept at using the device
Partial erection	Incorrect cylinder size; incorrect insert or seal ring size; not enough practice sessions	More practice using device; use larger cylinder insert	Problem most often improves with continued use of device
Rapid loss of erection (in less than 5 minutes)	Vacuum lost because of air leak from faulty equipment, poor seal, inadequate lubrication, or excessive pubic hair	Same as for "No erection." Also: use smaller cylinder insert; use smaller or double tension rings; remove tension band carefully	Requires that you experiment with varying sizes of seal rings, inserts, and tension bands; see your physician if you need help or support to persevere
Delayed loss of erection (after 5 to 10 minutes)	Insufficient tension from bands or rings	Use smaller or combination of tension rings or bands; use the two-step application method (ask your physician about this)	
Pulling of the skin of the scrotum	Lubricant on scrotum; improper pumping technique; too large insert or seal ring; inexperience with system	Remove lubricant from scrotum; use smaller insert or seal ring; use the modified pumping technique (ask your physician about this); continue with practice sessions; angle cylinder downward during pumping	Problem may disappear as you become more adept at using the device.
Discomfort or pain:			
During pumping	Too rapid pumping; pulling of scrotal tissue	Slower pumping; continue to use device	Problem usually resolves as you become more adept at using the device
From tension ring	Tension ring too small; Anxiety	Use larger tension ring; continue to use device	Problem usually resolves as you continue to use the device
During intercourse	Inadequate lubrication; pressure on a sensitive area	More lubrication; position changes	
During ejaculation	Long period of abstinence; infection or inflammation of the prostate gland	Discontinue using device, consult your physician	
Redness, irritation, or bruising	Too rapid pumping; over pumping	Slower pumping; fewer pumps	Consult your physician if this problem persists past the first few practice sessions
Penis feels cold (to you or your partner)	Constriction of blood flow to the penis; lubrication	Wash off lubricant or warm lubricant before use	
Penis pivots on its base	Constriction of blood flow to the penis	If manageable, apply the device after you have a partial erection	



Customer Service 10 AM - 7 PM EST
Phone: +1 (770) 604 - 1352



www.edenfantasys.com